

\$\mathbb{R}\$ CV. SARANA MOTOR





MODIFIKASI AMBULANCE TOYOTA HIACE TYPE VIP



EXTERIOR & INTERIOR MODIFICATION

- A. Fixed Central Gas System
 - 2 Pcs Oxygen Cylinder 1M³ 1 Set Oxygen Valve On / Off
 - 2 Pcs Oxygen Regulator Tubing High Pressure and Clamp Tubing
 - 2 Pcs Neple Elbow 1 Pcs Flowmeter Oxygen with Humidifier
 - 1 Pcs Oxygen Wall Outlet
 - 1 Pcs Nasal Oxygen Cannula for Adult
 - 1 Pcs Oxygen Mask for Adult
- B. Attendant seat with box space for equipment (Material: Multi Flex coated with ABS Form)
- C. Medical Equipment Compartements system with acrylic, finishing duco
- D. Washtafel cabinet with 2 Water Tank, finishing duco
- E. Seat for Medical Officer (Medical Seat) 2 pcs
- F. Bumper Protection for Ambulance Stretcher (Stainless Steel)
- G. Sliding Infuse Stainless Steel
- H. Three Extra DC Outlets
- I. One Extra AC Outlets
- J. Floor Modification Vinyl Covering Anti Bacteria
- K. LED Flash light bar include coil Filter
 - Input Voltage 12 Volt Power Consumtion 18 watt
 - Life Time 10.000 Hours
- . Multi Sound Sirene System, Include Microphone Paging
 - Police Voice, Ambulance Voice & Fire Voice Input Voltage 12 VDC
 - Current Input 7.5 Ampere Power Output 500 Watt
- L. Adjustable Lighting spot light 1 pcs
- M. Adjustable Examination Lamp 2 pcs
- N. Base Stretcher Full Stainless Steels with space for Scoop Stretcher
- O. Locking and Unlocking key for Stretcher
- P. Fire extinguisher 1 kg with Bracket
- Q. Sticker & Logo Standard
- R. Divider between the Cabin and Patient area, featuring sliding glass
- S. Glass Film 60 / 80 %
- T. Ambulance Stretcher Automatic Roll in Chair

Features and Benefits

Tubular aluminium construction provides durability & strength. Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded. Adjustable bracket angle from 0 to 75 allows patient to be in the most comfortable position possible during transport. Full Length, 2", sectional mattress provide comfort&folds with the cot as it is moved into a chair position. Patient restraint system ensures safety of patient during transport.

Specification:

Length : 190 cm Width : 58 cm Height Maximum : 101 cm

Height Minimum (lowest level) : 26 cm Gross Weight : 47 kg Net Weight : 40 kg

Max. Load : 18 kg

Castor : 6 pcs Swivel (2Pcs Swivel with Break)

Accessories:

- Safety Belts : 3 Pcs - Mattress : 1 Pcs

U. Folding Scoop Stretcher

Dimension:

Max. Length 227 cm : 122 cm Length as folded : 169 cm Length Width 42 cm Height 7 cm Max. Load 160 kg 3 Safety Belt Accessories Material : - Aluminium Nylon Fiber : Powder Coating **Finishing**



R CV. SARANA MOTOR

INDUSTRI KAROSERI



MODIFIKASI AMBULANCE TOYOTA HIACE TYPE MEDIUM



EXTERIOR & INTERIOR MODIFICATION

- A. Fixed Central Gas System
 - 2 Pcs Oxygen Cylinder 1M³
- 1 Set Oxygen Valve On / Off
- 2 Pcs Oxygen Regulator
- Tubing High Pressure and Clamp Tubing
- 2 Pcs Neple Elbow
- 1 Pcs Flowmeter Oxygen with Humidifier
- 1 Pcs Oxygen Wall Outlet
- 1 Pcs Nasal Oxygen Cannula for Adult
- 1 Pcs Oxygen Mask for Adult
- B. Attendant seat with box space for equipment

(Bahan Jok: Multi Flex dilapis ABS Cetak dengan Jok Cetak)

- C. Medical Equipment Compartement system with acrylic door, including Washtafel cabinet with 2 water tank, finishing duco
- D. Bumper Protection for Ambulance Stretcher

Material: Plate Stainless Steels

- E. Seat for Medical Officer (Medical Seat)
- F. Sliding Infuse Materials: Stainless Steels
- G. Three Extra DC Outlets
- H. One Extra AC Outlets
- I. Floor Modification Vinyl Covering AntiBacteria
- J. LED Flash light bar include coil Filter
 - Length: 120 cm, Width: 30 cm, Height: 22cm
 - Input Voltage 12 Volt Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging

- Police Voice, Ambulance Voice & Fire Voice Input Voltage 12 VDC
- Current Input 7.5 Ampere
- Power Output 500 Watt
- K. Adjustable Lighting spot light, 1 pcs
- L. Adjustable Examination Lamp, 2 pcs
- M. Base Stretcher Full Stainless Steels with space for Scoop Stretcher
- N. Locking and Unlocking key for Stretcher
- O. Fire extinguisher 1 kg with Bracket
- P. Sticker & Logo Standard
- Q. Divider between the Cabin and Patient area, featuring sliding glass
- R. Glass Film 60 / 80 %
- S. Ambulance Stretcher Roll in Cot

Features and Benefits

- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most comfortable position possible during transport.
- Patient restraint system ensures safety of patient during transport.

Specification:

Length : 197 cm
Width : 58 cm
Height Maximum : 101 cm
Height Minimum (lowest level) : 26 cm
Gross Weight : 47 kg
Net Weight : 40 kg

Castor : 8 Pcs Swivel

: 2 Pcs Swivel with break

Accessories:

- Safety Belts : 3 Pc - Mattress : 1 Pc

T. Folding Scoop Stretcher

Dimension:
Max. Length : 227 cm
Length as folded : 122 cm

Length: 169 cm, Width: 42 cm, Height: 7 cm
Max. Load: 160 kg
Accessories: 3 Safety Belt
Material: - Aluminium
- Nylon Fiber
Finishing: Powder Coating



\$\mathbb{R}\$ CV. SARANA MOTOR





MODIFIKASI AMBULANCE TOYOTA HIACE TYPE STANDARD PLUS



EXTERIOR & INTERIOR MODIFICATION

- A. Fix Central Gas System
 - 1 Pcs Oxygen Cylinder 1M³
 - 1 Pcs Oxygen Regulator with humidifier & flowmeter
 - 1 Pcs Nasal Oxygen Cannula for Adult
 - 1 Pcs Oxygen Mask for Adult
- B. Attendant seat with box space for equipment

(Bahan Jok : Multi Flex dilapis ABS Cetak dengan Jok Cetak)

- C. Medical Equipment Compartement system with acrylic door, including Washtafel cabinet with 2 water tank, finishing duco
- D. Bumper Protection for Ambulance Stretcher

Material: Plate Stainless Steels

- E. Seat for Medical Officer (Medical Seat) 2 pcs
- F. Sliding Infuse Materials : Stainless Steels
- G. Three Extra DC Outlets
- H. One Extra AC Outlets
- I. Floor Modification Vinyl Covering AntiBacteria
- J. LED Flash light bar include coil Filter
 - Length: 120 cm, Width: 30 cm, Height: 22cm
 - Input Voltage 12 Volt Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging

- Police Voice, Ambulance Voice & Fire Voice Input Voltage 12 VDC
- Current Input 7.5 Ampere
- Power Output 500 Watt
- K. Adjustable Lighting spot light, 1 pcs
- L. Adjustable Examination Lamp, 2 pcs
- M. Base Stretcher Full Stainless Steels with space for Scoop Stretcher
- N. Locking and Unlocking key for Stretcher
- O. Fire extinguisher 1 kg with Bracket
- P. Sticker & Logo Standard
- Q. Divider between the Cabin and Patient area, featuring sliding glass
- R. Glass Film 60 / 80 %
- S. Ambulance Stretcher Roll in Cot

Features and Benefits

- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most comfortable position possible during transport
- Patient restraint system ensures safety of patient during transport.

Specification:

Length

: 197 cm : 58 cm

Width : 58 cm Height Maximum : 101 cm

Height Minimum (lowest level) : 26 cm Gross Weight : 47 kg Net Weight : 40 kg

Net Weight : 40 kg
Castor : 8 Pc Swivel

Accessories : 2 Pc Swivel with break

- Safety Belts : 3 Pc - Mattress : 1 Pc

T. Folding Scoop Stretcher

Dimension:

Max. Length : 227 cm Length as folded : 122 cm Length: 169 cm, Width: 42 cm, Height: 7 cm Max. Load : 160 kg Accessories : 3 Safety Belt

Material : - Aluminium
- Nylon Fiber
Finishing : Powder Coating



R CV. SARANA MOTOR

INDUSTRI KAROSERI



MODIFIKASI AMBULANCE TOYOTA HIACE TYPE STANDARD



EXTERIOR & INTERIOR MODIFICATION

- A. Oxygen Delivery System
 1 Pcs Oxygen Cylinder 1M³

 - 1 Pcs Oxygen Regulator with humidifier & flowmeter
 - 1 Pcs Nasal Oxygen Cannula for Adult
 - 1 Pcs Oxygen Mask for Adult
- B. Washtafel cabinet with 2 Water Tank
- C. Attendant seat with box space for equipment
 - (Bahan Jok : Multi Flex dilapis ABS Cetak dengan Jok Cetak)
- D. First Aid Box (Box P3K)
- E. Bumper Protection for Ambulance Stretcher
- F. Sliding Infuse Stainless Steel
- G. Floor Modification Vinyl Covering AntiBacteria
- H. LED Flash light bar include coil Filter
 - Length: 120 cm, Width: 30 cm, Height: 22cm
 - Input Voltage 12 Volt - Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging

- Input Voltage 12 VDC - Police Voice, Ambulance Voice & Fire Voice
- Current Input 7.5 Ampere
- Power Output 100
- I. Adjustable Lighting spot light 1 pcs
- J. Adjustable Examination Lamp 2 pcs
- K. Base Stretcher Full Stainless with space for Scoop Stretcher
- L. Locking and Unlocking key for Stretcher
- M. Fire extinguisher 1 kg with Bracket
- N. Sticker & Logo Standard
- O. Divider between the Cabin and Patient area, featuring sliding glass
- P. Glass Film 60 / 80 %
- Q. Ambulance Stretcher Roll in Cot

Features and Benefits

- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most com fortable position possible during transport.
- Patient restraint system ensures safety of patient during transport.

Specification:

Length high - level position : 186.5 cm Width 57 cm Height Maximum : 86.5 cm Height Minimum (lowest level): 20 cm 26.5 kg Weight Max. Load : 160 kg : 4 Pc Swivel Castor

Accessories: : 2 Pc Swivel with break

- Safety Belts : 3 Pc - Mattress : 1 Pc - I.V Pole : 1 Pc

R. Folding Scoop Stretcher

Dimension:

Max. Length Length as folded :122 cm Length: 169 cm, Width: 42 cm, Height: 7 cm : 160 kg Max. Load : 3 Safety Belt Accessories Material : - Aluminium - Nylon Fiber Finishing : Powder Coating



R CV. SARANA MOTOR INDUSTRI KAROSERI



MODIFIKASI AMBULANCE TOYOTA HIACE TYPE JENAZAH



EXTERIOR & INTERIOR MODIFICATION

- A. LED Flash light bar include coil Filter
 - Length: 120 cm, Width: 30 cm, Height: 22 cm
 - Input Voltage 12 Volt
 - Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging

- Police Voice, Ambulance Voice & Fire Voice
- Input Voltage 12 VDC Power Output
- Current Input 7.5 Ampere
- B. Adjustable Lighting spot light 1 Pcs
- C. Attendant seat (Delivery seat) with box space for equipment (Material: Multi Flex coated with ABS Form)
- D. Base Coffin (Keranda Mayat) Covering Vinyl with Rail
- E. Locking and Unlocking key for Coffin
- F. Fire extinguisher 1 kg with Bracket
- G. Sticker & Logo Standard
- H. Divider between the Cabin and Patient area, featuring sliding glass
- I. Glass Film 60 / 80 %
- J. Floor Modification Vinyl Covering AntiBacteria
- K. Washtafel Cabinet with 2 Water Tanks
- L. Coffin Corpse (Keranda Jenazah) Spesification:
 - Material : Stainless Steel
- M. Kain Penutup Keranda Jenazah